

<b>Pain Management</b>	
<b>Test</b>	<b>Description</b>
<b>Pain Management Panel, #53900</b>	The panel includes the following 7 tests. Tests can be ordered individually or in combination.
<b>DAU 3 - 10 panel immunoassay screen</b> (results can include reflex GC/MS confirmation), #53907	Amphetamines Barbiturates Benzodiazepines Cannabinoids (THC 20 ng/ml cutoff) Cocaine metabolite Methadone Methaqualone Opiates (300 ng/ml cutoff) Phencyclidine (PCP) Propoxyphene
<b>Alcohol, urine, #53201</b>	GLC identification of common volatiles (0.01 gm/dl cutoff) Ethanol, Acetone, Isopropanol, Methanol
<b>GC/MS Opiate identification, #53807</b>	Codeine, Hydrocodone, Hydromorphone, Morphine, Oxycodone, 6-Acetylmorphine (100 ng/ml cutoff)
<b>GC/MS Fentanyl &amp; Norfentanyl, #53702</b>	Quantitation of both fentanyl & norfentanyl (0.5 ng/ml cutoff)
<b>GC/MS Meperidine &amp; Normeperidine, #53950</b>	Quantitation of both meperidine & normeperidine (50 ng/ml cutoff)
<b>GC/MS Benzodiazepines, #53914</b>	Quantitation of Lorazepam, Nordiazepam, Oxazepam, and Temazepam (100 ng/ml cutoff) and Alpha hydroxyalprazolam (10 ng/ml cutoff)
<b>GC/MS Methadone &amp; Metabolite, #53920</b>	Quantitation of both methadone & EDDP (100 ng/ml cutoff)

Test	Description
<b>Pain Management Opiate Panel, #53901</b>	The panel includes the following 2 tests. Tests can be ordered individually or in combination.
<b>DAU 3 - 10 panel immunoassay screen</b> (results can include reflex GC/MS confirmation), #53907	Amphetamines Barbiturates Benzodiazepines Cannabinoids (THC 20 ng/ml cutoff) Cocaine metabolite Methadone Methaqualone Opiates (300 ng/ml cutoff) Phencyclidine (PCP) Propoxyphene
<b>GC/MS Opiate identification, #53807</b>	Codeine, Hydrocodone, Hydromorphone, Morphine, Oxycodone, 6-Acetylmorphine (100 ng/ml cutoff)

<b>General Unknown / Comprehensive Drug Testing</b>	
<b>Test Description</b>	<b>Instructions and Specific Compounds</b>
<p><b>General Unknown Drug Testing</b> (Sample requirements: 10 ml)</p>	<p>This test is usually performed on urine samples, however gastric and serum samples may be submitted for analysis. (Typical limit of detection, 0.1 - 0.5 mg/L) Abbreviated list of drugs detected, if specific drugs are being requested, please notify the lab.</p>
	<p><b>Amphetamines</b> (Amphetamine, Methamphetamine, MDA, MDMA, Sympathomimetic amines)  <b>Antidepressants</b> (Tricyclic antidepressants, SSRI, NSRI)  <b>Barbiturates</b> (Amobarbital, Butabarbital, Butalbital, Pentobarbital, Phenobarbital, Secobarbital)  <b>Benzodiazepines</b> (Alprazolam, Chlordiazepoxide, Diazepam, Nordiazepam, Oxazepam, Temazepam)  <b>Cocaine</b> (Cocaine, Cocaethylene, Benzoyllecgonine, EME)  <b>Hypnotics</b> (Glutethimide, Methaqualone)  <b>Opiates</b> (Codeine, Hydrocodone, Hydromorphone, Morphine, Oxycodone, Oxymorphone, 6-Acetyl morphine)  <b>Phenothiazines</b> (Chlorpromazine, Mesoridazine, Thioridazine)  <b>Additional Drugs</b> (Analgesics, Cough &amp; Cold medications, Sleep aids both prescription and over the counter, Antiepileptic Agents, etc.)</p>

<b>Heavy Metal Testing</b>	
<b>Test Description</b>	<b>Instructions and Specific Compounds</b>
<b>Lead, Blood &amp; Urine</b>	Lead and Lead & Zinc Protoporphyrin for environmental and occupational exposure (both OSHA and CAP approved)
<b>Iron, Liver</b>	Iron in Liver for evaluation of hemochromatosis or transfusion therapy
<b>Copper, Serum Zinc, Serum Lithium, RBC</b>	Serum Copper & Zinc  Red Blood Cell and Saliva Lithium

<b>Substance Abuse/Compliance Treatment Testing</b>	
<b>Test Description</b>	<b>Instructions and Specific Compounds</b>
The laboratory offers a variety of customizable tests and testing panels to accommodate various testing requirements	

<b>Neonatal Meconium Testing</b>	
<b>Test Description</b>	<b>Instructions and Specific Compounds</b>
<b>4 panel immunoassay screen</b> (all Positives include reflex GC/MS confirmation)	Amphetamines (Amphetamine, Methamphetamine, MDA, MDMA) Cannabinoids (THC-Carboxylate) Cocaine metabolite (Benzoylecgonine) Opiates (Codeine, Hydrocodone, Hydromorphone, Morphine, Oxycodone)